

Choose the right fuel for your mower. For best starting results use Non-ethanol fuel with an octane rating of 87 or higher. Use fresh fuel less than 30 days old, add fuel stabilizer to reduce starting problems. Do not mix oil with gas.

Air Filter	
Briggs & Stratton Part #593260 - Not Sold on toro.com	
Bagger Capacity	2.1 bushels
Box Dimensions	42 in. x 24.5 in. x 17.25 in. / 106.7 cm x 62.2 cm x 43.8 cm
CARB Compliant	CARB Compliant
Cutting Width	22 in. / 56 cm
Deck Material	15 Gauge Steel
Discharge Chute	Not Included in the box. The free discharge chute for walk behind mowers can be requested at time of registration at Toro.com/register
Drive System	Front Wheel Drive
Drive Type	Front-Wheel Drive
Engine	6.25 ft-lb Gross Torque** Briggs & StrattonRegistered150 cc
Engine Brand	Briggs and Stratton
Engine Displacement (cc)	150 cc
Fuel Capacity	0.27 gal / 1.02 L / 1.1 Qt.
Fuel Type	Gasoline
Guaranteed to Start Promise	3-Year GTS
Handle Type	Flex, SmartStow, 1-Piece, Adjustable Height
Height of Cut	1.0 - 4.0 in. / 2.5 - 10.2 cm
Height of Cut Adjustment	4-point
Included in the Box	18 oz. Bottle of Oil, Grass Bag, Mower, Quick Start Guide
Mulch, Bag, Side Discharge	Bag standard, Mulch standard, Rear Discharge
Number of Blades	1
Product Features	CARB Compliant, High Wheel, Self-Propelled, SmartStow
Product Use	Residential
Recommended Oil Type	SAE 30

Self Propel System	Variable Speed
Spark Plug Type	Briggs & Stratton Part #692051 - Not Sold on toro.com
Start Type	Pull Cord
Wheel Height	Front 8 in. / 20.3 cm; Rear 9.65 in. / 24.5 cm
Yard Size	Up to 1/2 acre